

LIGHTING RECOMMENDATIONS

1 .RECEIVING BAY	40+FC**
2. RAW MILK PROCESSING	60+FC**
3. PROCESSING ROOM	60+FC**
4. BOTTLING ROOM	60+ FC**
5. BOTTLE WASHING ROOM	40+FC**
6. STORAGE ROOM	35+FC**

THE ABOVE ARE LIGHT LEVEL **RECOMMENDATIONS** FOR VARIOUS DAIRY PROCESSING SPACES

FC= FOOT CANDLES

NOTE: A MINIMUM OF 20 FC FOR ALL PROCESSING AREAS AND 5 FC FOR STORAGE AREAS WILL BE REQUIRED BY THE PMO.* LIGHTING MAY BE NATURAL, ARTIFICIAL OR A COMBINATION OF BOTH.

PMO

* ITEM 4p. LIGHTING AND VENTILATION

1. Adequate light sources are provided (natural, artificial or a combination of both) which furnish at least twenty (20) foot-candles (220 lux) of light in all working areas. This shall apply to all rooms where milk or milk products are handled, processed, packaged, or stored; or where containers, utensils and/or equipment are washed. Dry storage and cold storage rooms shall be provided with at least five (5) foot-candles (55 lux) of light.

** This document in no way represents the final authority on the subject matter contained within and is Agri-Service LLC recommendation only. The customer should verify the requirements with their Milk Authority and with any pertaining local or state codes or requirements. Agri-Service LLC is not liable for any insufficient conditions resulting from a recommendation. All recommendations are based on Agri-Service LLC experience and other information obtained from additional sources